

## Wood Grain Impressions™ Finish Collection


Transform your garage with the authentic and captivating appearance of wood through a high-quality, digitally printed non-repeating grain on a robust steel garage door. This innovative design seamlessly blends the strength and durability of steel with the timeless beauty and charm of wood, resulting in a stunning and reliable option for enhancing the aesthetics of your garage.



*Model 8300AG, Contemporary panel, Beachwood Plank Wood Grain Impressions™ finish, Clear IV windows*



## 1 Panel Style



Contemporary


## 2 Choose Your Color



Beachwood Plank



Carbon Oak Plank



Cedar Plank



Medium Oak Plank

## 3 Choose Your Windows

### Glass Options



Clear†



Gray Tinted Tempered



Green Tinted Tempered



Bronze Tinted Tempered



Satin Etched Privacy†



Obscure†

†Insulated glass available.

### Frame Color Options

Clear IV windows only



Gray




Brown



Black

Narrow and Double Narrow windows only



Silver



Dark Bronze



Black Frost

### Window Placement Options



Double Row Option  
(top and intermediate)



Vertical and Horizontal  
(left or right)



Vertical Option  
(left or right)



All Window Option

### Window Options



Clear IV



Double Narrow



Narrow

Standard window placement  
(Model 8300) top or intermediate  
window placement only

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

## DOOR FEATURES

### Effective Joint Seals


Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

### Foamed-In-Place Polyurethane Insulation

Thermally efficient with a U-factor\* of 0.15 and an R-value\*\* of 12.12† for Model 8300.

### Heavy Gauge Steel End Caps

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.



### Wind Load Options Available

with structural reinforcements for use in coastal or high wind regions.

### Limited Lifetime Warranty



\*U-factor values are independently tested and verified per ANSI/DASMA 105.  
\*\*Wayne Dalton uses a calculated door section R-value for our insulated doors.  
†R-value is for 8' tall doors. R-value for other door heights may vary slightly.  
See website for warranty and wind load details.






**Beachwood Plank**



**Carbon Oak Plank**



**Cedar Plank**



**Medium Oak Plank**