


# MODEL 8680



## DOOR FEATURES

# Effective Joint Seals -

Snug fitting tongue-and-groove section joints reduce wind and weather from entering the garage.

# Foamed-In-Place Polyurethane Insulation

Provides thermal efficiency with a U-factor\* of 0.15 and an R-value\*\* of 10, helps block street noise and makes the door operate more quietly.

### **Bottom Weather Seal ~**

This bulb shaped seal blocks draft and debris from entering the garage.



\*\*Wayne Dalton uses a calculated door section R-value for our insulated doors.

### **High Cycle Spring Option**

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

# TorqueMaster® Plus Counterbalance System

Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology.


### **Limited Lifetime Warranty**



# 1 Choose Your Style

# Horizontal Raised 7' high


Available in Oak wood-grain pattern





Available in Oak wood-grain pattern








Available in Cherry wood-grain pattern

Horizontal V-Groove\*





Available in Mahogany wood-grain pattern

Larger sized doors are available (up to 14' high and 18' wide) depending on panel style. \*Doors over 9' wide have a vertical seam added for support.

# 2 Choose Your Color



White



Honduran Mahogany



Walnut



Gray



Cherry



Green



Clay



Red Oak



Natural Oak



Mahogany

Stain samples shown above on Oak wood-grain pattern. Actual colors may vary slightly from brochure due to fluctuations in staining, grain or the printing process. Always request a color sample from your dealer for accurate color matching. A top clear coat may need to be reapplied periodically to maintain the factory finish.

# **3** Choose Your Windows

# For Horizontal Raised and Horizontal V-Groove panels



For Vertical Raised panels



For Horizontal V-Groove panels



### For Sonoma panel



Plain Lite



16 Lite



6 Lite



20 Lite



8 Lite



12 Lite

Not all windows available for all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

### Optional window placement





Windows may be arranged vertically or horizontally. Up to 50% of the door can include windows. Windows placed in the bottom section of the door must have DSB 1/8", tempered, or 1/2" insulated glass.

### **Glass Options**



Clear†



Obscure Tempered\*



Gray Tinted Tempered



Satin Etched Privacy\*\*



Green Tinted Tempered



**Bronze Tinted Tempered** 

†Insulated option available for Horizontal and Vertical Raised panels.

- \*Not available on Sonoma panel.
- \*\*Available in tempered.

Low E glass also available.

# 4 Choose Your Decorative Hardware





Barcelona





Spear

Arrow

Please visit our website at wayne-dalton.com for a complete selection of hardware.